


3-2-1 Configurazioni previste



Reazioni - R action - Reactions - Eckdr ucke - Reacciones


R1	● 20600 daN/Kg	■ 13000 daN/Kg
----	----------------	----------------

● In servizio ● En service ● In service
 ■ Fuori servizio ■ Hors service ■ Out of service
 ● In Betrieb ● En servicio
 ■ Ausser Betrieb ■ Fuera de servicio

Curve di carico - Courbes de charges - Load diagrams - LastKurven - Curvas de cargas

	Braccio impennato - Fl�che relev�e - Luffing jib - Ausleger in steilstellung - Flecha izada	800 Kg cost.																									
	MAX 2000 Kg	17.9	18	20	22	24	26	28	30	32	m	2000	1990	1750	1560	1410	1280	1170	1080	1000	Kg						
	MAX 4000 Kg	10	12	14	16	18	20	22	24	26	28	30	32	m	4000	3180	2630	2230	1930	1690	1510	1350	1230	1120	1030	950	Kg

3-2-1 Configurazioni previste



Peso della gru senza assali	13500 Kg
Poids de construction sans essieux	
Dead weight without transport axles	
Konstruktionsgewicht ohne Transportachse	
Peso de la grua sin tren de transporte	
Peso zavorra rotante	24600 Kg
Poids du lest	
Ballast weight	
Ballastgewicht	
Peso de lastre	

Reazioni - RŠaction - Reactions - Eckdrucke - Reacciones

R1	● 20600 daN/Kg	■ 13000 daN/Kg			
●	In servizio	●	En service	●	In service
■	Fuori servizio	■	Hors service	■	Out of service
●	In Betrieb	●	En servicio		
■	Ausser Betrieb	■	Fuera de servicio		

Curve di carico - Courbes de charges - Load diagrams - LastKurven - Curvas de cargas

	Braccio impennato - FIŠche relevŠe - Luffing jib - Ausleger in steilstellung - Flecha izada	800 Kg cost.																							
	MAX 2000 Kg	18.84	20	22	24	26	28	30	m	2000	1860	1660	1500	1360	1240	1150	Kg								
	MAX 4000 Kg	10.5	12	14	16	18	20	22	24	26	28	30	m	4000	3380	2790	2370	2050	1800	1600	1440	1310	1190	1100	Kg